



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE

United States Patent and Trademark Office

Address: COMMISSIONER FOR PATENTS

P.O. Box 1450

Alexandria, Virginia 22313-1450

www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/809,789	03/26/2004	Yoshihiro Hori	65933-082	7144
20277 7590 02/20/2009 MCDERMOTT WILL & EMERY LLP 600 13TH STREET, N.W. WASHINGTON, DC 20005-3096				
EXAMINER				
GERGISO, TECHANE				
ART UNIT		PAPER NUMBER		
2437				
MAIL DATE		DELIVERY MODE		
02/20/2009		PAPER		

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary

Application No.

10/809,789

Applicant(s)

HORI ET AL.

Examiner

TECHANE J. GERGISO

Art Unit

2437

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 06 November 2008.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-3 and 12-17 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-3 and 12-17 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 03/26/2004 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☐ Information Disclosure Statement(s) (PTO/SB008)
Paper No(s)/Mail Date _____

- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date _____
- 5) ☐ Notice of Informal Patent Application
- 6) ☐ Other: _____

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on November 06, 2008 has been entered.
2. Claims 1-3 and 12-17 have been examined and are pending.

Response to Arguments

3. Applicant's arguments with respect to claims 1-3 and 12-17 have been considered but are moot in view of the new ground(s) of rejection.

Claim Rejections - 35 USC § 103

4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

5. Claims 1-3 and 12-17 are rejected under 35 U.S.C. 103(a) as being unpatentable over Blumenau et al. (hereinafter referred to as Blumenau, US Pat. No.: 6,260, 120) in view of

McClannahan (US Pat. No.: 6,438, 670) and further in view of Wang et al. (hereinafter referred to as Wang, US. Pat. No.: 6,834,326).

As per claim 1:

Blumenau discloses a host device operative to input data to a storage device for storing data and output data from the storage device, the host device comprising a controller which

divides a series of cryptographic processing for encrypting data to be secured and inputting or outputting the same into a plurality of procedures (column 38: lines 1-10, lines 53-67 and column 40: lines 20-34; the examiner considered a key generation, encryption, decryption, inputting data to be encrypted, outputting the decrypted data, and any other intermediary steps in the cryptographic processing from start to end are considered as plurality of procedures), and

issues to the storage device a command for making the storage device execute a procedure to be executed on the storage-device side out of the procedures (column 35: lines 5-25; lines 53-67; command line).

Blumenau does not explicitly teach the controller obtains information for estimating time necessary to execute the command from the storage device prior to the issuance of the command, sets a wait time for the command based on the obtained information, issues the command to the storage device, and waits the time set for the command before it issues a command for the next procedure to the storage device. McClannahan, in an analogous art, however teaches the controller obtains information for estimating time necessary to execute the command from the storage device prior to the issuance of the command, sets a wait time for the command based on

the obtained information, issues the command to the storage device, and waits the time set for the command before it issues a command for the next procedure to the storage device (column 3: lines 22-33; column 5: lines 12-25; column 6: lines 5-25; The memory storage device of the type having a predetermined timing parameter that defines a minimum delay between the first and second memory control operations). Therefore, it would have been obvious to a person in the art at the time the invention was made to modify the system disclosed by Blumenau to include the controller obtains information for estimating time necessary to execute the command from the storage device prior to the issuance of the command, sets a wait time for the command based on the obtained information, issues the command to the storage device, and waits the time set for the command before it issues a command for the next procedure to the storage device. This modification would have been obvious because a person having ordinary skill in the art, at the time the invention was made, would have been motivated to do to provide a more flexible and extensible memory controller design that is capable of supporting a wider variety of memory storage devices as suggested by McClannahan (in column 2: lines 60-66).

Blumenau and McClannahan do not explicitly teach the controller issues a command to the storage device via a bus electrically connecting the host device and the storage device, releases the bus for another command. Wang, in an analogous art, however teaches the controller issues a command to the storage device via a bus electrically connecting the host device and the storage device, releases the bus for another command (column 6: lines 23-28; Using SCSI, an initiator say a host CPU will send a command to a particular target (disk) and then the target will control the remaining transactions. Because a target might take some time to perform the

requested operation (e.g., rotate the disk so the right data is under the read head), it may release the SCSI bus and allow the initiator to send other commands). Therefore, it would have been obvious to a person having ordinary skill in the art at the time the invention was made to modify the system disclosed by Blumenau and McClannahan to include the controller issues a command to the storage device via a bus electrically connecting the host device and the storage device, releases the bus for another command. This modification would have been obvious because a person having ordinary skill in the art would have been motivated to do to provide redundant storage across a network to assure redundancy and automatic configuration to reduce the total cost of system ownership and to take advantage of network-oriented protocols, such as multicasting packets, to implement redundant storage in an efficient way multicasting command packets as suggested by Wang in (column 2: lines 16-21).

As per claim 2:

McClannahan discloses a host device, wherein the information for estimation includes any one of a typical processing time, an average processing time, and a maximum processing time necessary to execute the command (column 11: lines 11-20; column 5: lines 11-24).

As per claim 3:

McClannahan discloses a host device, wherein the information for estimation includes any one of a typical processing time, an average processing time, and a maximum processing time necessary for at least one basic process out of an encrypting operation, a decrypting

operation, a hash operation, a random number generating operation, and log retrieval which are used to execute the command (column 5; lines 11-24; lines 30-38).

As per claim 12:

Blumenau discloses a method for executing a series of cryptographic processing for encrypting data to be secured and inputting or outputting the data between a storage device for storing data and a host device, comprising:

dividing the cryptographic processing into a plurality of procedures, and making the host device execute a procedure to be executed on the host-device side out of the procedures (column 38: lines 1-10, lines 53-67 and column 40: lines 20-34; the examiner considered a key generation, encryption, decryption, inputting data to be encrypted, outputting the decrypted data, and any other intermediary steps in the cryptographic processing from start to end are considered as plurality of procedures); and

allowing the host device to issue a command to the storage device in order to make the storage device execute a procedure to be executed on the storage-device side; allowing the storage device to receive the command; and allowing the storage device to execute the command (column 28; lines 35-50, column 35: lines 5-25; Figure 33: 422-430).

Blumenau does not explicitly the host device obtains information for estimating time necessary for the storage device to execute the command from the storage device prior to the issuance of the command, issues the command to the storage device, and waits the time estimated necessary to execute the command before it issues a command for the next procedure

to the storage device. McClannahan, in an analogous art, however teaches the host device obtains information for estimating time necessary for the storage device to execute the command from the storage device prior to the issuance of the command, issues the command to the storage device, and waits the time estimated necessary to execute the command before it issues a command for the next procedure to the storage device (column 3: lines 22-33; column 5: lines 12-25; column 6: lines 5-25). Therefore, it would have been obvious to a person in the art at the time the invention was made to modify the system disclosed by Blumenau to include the host device obtains information for estimating time necessary for the storage device to execute the command from the storage device prior to the issuance of the command, issues the command to the storage device, and waits the time estimated necessary to execute the command before it issues a command for the next procedure to the storage device. This modification would have been obvious because a person having ordinary skill in the art, at the time the invention was made, would have been motivated to do to provide a more flexible and extensible memory controller design that is capable of supporting a wider variety of memory storage devices as suggested by McClannahan (in column 2: lines 60-66).

Blumenau and McClannahan do not explicitly teach the controller issues a command to the storage device via a bus electrically connecting the host device and the storage device, releases the bus for another command. Wang, in an analogous art, however teaches the controller issues a command to the storage device via a bus electrically connecting the host device and the storage device, releases the bus for another command (column 6: lines 23-28; Using SCSI, an initiator say a host CPU will send a command to a particular target (disk) and then the target will

control the remaining transactions. Because a target might take some time to perform the requested operation (e.g., rotate the disk so the right data is under the read head), it may release the SCSI bus and allow the initiator to send other commands). Therefore, it would have been obvious to a person having ordinary skill in the art at the time the invention was made to modify the system disclosed by Blumenau and McClannahan to include the controller issues a command to the storage device via a bus electrically connecting the host device and the storage device, releases the bus for another command. This modification would have been obvious because a person having ordinary skill in the art would have been motivated to do to provide redundant storage across a network to assure redundancy and automatic configuration to reduce the total cost of system ownership and to take advantage of network-oriented protocols, such as multicasting packets, to implement redundant storage in an efficient way multicasting command packets as suggested by Wang in (column 2: lines 16-21).

As per claim 13:

Blumenau discloses a method, wherein according to the processing procedures, the cryptographic processing is divided into any of process units including:

a process for receiving data input from the host device and performing encryption or decryption using the cryptographic processing unit if necessary (Figure 32: 565, 366, 79; column 37: lines 56-67; column 38: lines 55-65);

a process for performing encryption, decryption, or signature attachment using the cryptographic processing unit in order to output data to the host device (Figure 32: 565, 366, 79; column 37: lines 56-67; column 38: lines 55-65); and

a process for outputting data to the host device, and the command is issued by each of the process units divided (Figure 32: 565, 366, 79; column 37: lines 56-67; column 38: lines 55-65).

As per claims 14 and 15:

McClannahan discloses a method, wherein the information for estimation includes any one of a typical processing time, an average processing time, and a maximum processing time necessary to execute the command (column 11: lines 11-20; column 5: lines 11-24).

As per claims 16 and 17:

McClannahan discloses a method, wherein the information for estimation includes any one of a typical processing time, an average processing time, and a maximum processing time necessary for at least one basic process out of an encrypting operation, a decrypting operation, a hash operation, a random number generating operation, and log retrieval which are used to execute the command (column 5: lines 11-24; lines 30-38).

Conclusion

6. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. See the notice of reference cited in form PTO-892 for additional prior art.

Contact Information

7. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Techane J. Gergiso whose telephone number is (571) 272-3784

Art Unit: 2437

and fax number is (571) 273-3784. The examiner can normally be reached on 9:00am - 6:00pm. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Emmanuel Moise can be reached on (571) 272-3865. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

/Techane J. Gergiso/

Examiner, Art Unit 2437